

## Part 1. Multiple Choice Questions (60%).

Answer all questions. There is only one correct answer so you must choose the best answer. Answer A, B, C... (Capital letters). A correct answer gives for each of the problems **4 percentage points (4%)** in total towards the final score. Incorrect answers will be awarded **-1 percentage points (-1%)**, blank (unanswered) questions, or multiple answers to the same question will be awarded **0 points (0%)**.

Only the answer will be marked.

Write the answers for the multiple choice questions on the answer sheet you turn in using a table similar to the following (note that the answers in this table are examples of how you should do it – not the real correct answers!):

Question	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Answer	D	C	A	B	E	A	C	A	E	D	B	A	A	A	C

Good luck!

### Problems:

#### Part I (multiple choice)

- Recall the world consumption graph. What is the part of renewables (hydro and nuclear including) according to the world consumption graph?
  - 4%
  - 7%
  - 15%
  - 30%
- What is the part of nuclear energy according to the world consumption graph?
  - 2%
  - 4%
  - 7%
  - 9%

3. According to the latest statistical report of BP 2022, what are the three countries with the biggest total proved reserves of oil?

- A. Venezuela, United Arab Emirates, Iran
- B. Norway, Iraq, Iran
- C. Venezuela, Saudi Arabia, Canada
- D. Saudi Arabia, Canada, Iraq

4. What country is a net exporter of bioethanol?

- A. USA
- B. Argentina
- C. Brazil
- D. UK

5. A bicyclist expends energy at the rate of 60 Watt. How many calories of energy will he expend in 10 minutes of driving?

- A. 120
- B. 3600
- C. 7200
- D. 8600


6. With an albedo of 0.3 and an atmosphere with a long-wavelength transmission of 0.15 and a short wavelength transmission of 0.85 we have seen that the equilibrium temperature of the Earth is around 287 K. A gas is introduced into the atmosphere that decreases the mean long wavelength transmission of the atmosphere from 0.15 to 0.12. If the mean short wavelength transmission of the atmosphere remains unchanged at 0.85 and the albedo remains at 30%, what is the resulting temperature of the Earth?

- A. 287 K
- B. 289 K
- C. 293 K
- D. 300 K

7. Calculate the wavelength ( $\lambda_{\max}$ ) for the maximum intensity of the black body radiation from a human being, assuming a surface temperature of 32°C.

- A. 15 microns
- B. 0.2 microns
- C. 500 nm
- D. 9.5 microns
- E. 794 nm

8. A star generates energy by nuclear fusion reaction of H nuclei into helium



It fuses  $6 \times 10^8$  tons of hydrogen per second. What is the total energy in MeV the star produces per second?

- A.  $3.14 \times 10^{10}$  MeV per sec
  - B.  $1.65 \times 10^{39}$  MeV per sec
  - C.  $2.06 \times 10^{-11}$  MeV per sec
  - D.  $6.02 \times 10^{64}$  MeV per sec
9. The commercial nuclear power reactors are based on nuclear fission reactions induced by:
- A. protons,
  - B. electrons,
  - C. photons,
  - D. neutrons.

10. The amount of energy released in the fusion process:  ${}^2\text{D} + {}^3\text{T} \rightarrow {}^4\text{He} + n$ ?

- A. 1.76 KeV
- B. 17.6 KeV
- C. 1.76 MeV
- D. 17.6 MeV

11. What is the half-life of tritium in years?

- A. 0.5
- B. 12.3
- C. 32
- D. 64

12. During COVID in 2020 the world consumption of primary energy fell down to 13200 MTOE. Assume that the wind blows at 13m/s for 1/3 of the time (and that there is no wind at other times), that the efficiency of a wind turbine is 70% of the maximum theoretical value and the density of air is  $1.2 \text{ kg/m}^3$ . How many wind turbines with a diameter of 60m would be needed to supply this total energy?

- A.  $1.1 \times 10^4$  turbines
- B.  $5.6 \times 10^7$  turbines
- C.  $3.3 \times 10^7$  turbines
- D.  $1.3 \times 10^8$  turbines

13. What is the typical efficiency for commercial silicon solar cells?

- A. 8-10 %
- B. 15-18%
- C. 28-30%
- D. 45-48%

14. How large an area needs to be covered with solar cells to generate 11 TWh of electric energy in one year? Assume that the annual solar irradiation is  $900 \text{ kWh}\cdot\text{m}^{-2}$  and that the solar cell has a typical efficiency.

- A.  $42 \text{ km}^2$
- B.  $81 \text{ km}^2$
- C.  $102 \text{ km}^2$
- D.  $1640 \text{ km}^2$

15. The mechanism of extracting energy from biomass is

- A. fusion
- B. fission
- C. combustion
- D. emission of radiation

**Part 2. Calculations (40%)**

Answer all questions. The number in brackets represents the contribution of each sub-question to the total score. Each problem counts for 10 points.

All questions should be answered. NO CREDIT will be given for a correct numerical answer unless the work is shown in all details!

The answers can be written by hand.

1. The oceans contain about  $1.3 \times 10^{24} \text{ cm}^3$  of water. Deuterium constitutes 0.028% by mass of natural hydrogen.

a) What is the total energy in Joules available from this Deuterium by D-D fusion? Assume 4.0 MeV per fusion event. (5)

b) For how many years could fusion reactors with 50% efficiency supply 2.0 million MW? (5)

2. Calculate the power in megawatts during outflow from a tidal power plant that encloses a rectangular area of  $1 \times 2.5 \text{ km}$ , and which fills to a height of 3.6 m above the outlet. Assume an efficiency of 94%, and an emptying time of 1.5 hour. (10)

3. The world primary energy consumption 5 years ago was approximately 13 000 Mtoe. Assuming that flat panel solar cells at a sunny location in Spain can harvest  $8 \text{ kWh/m}^2/\text{day}$ , what area is required (at that location) to supply the energy needs of the earth? (10)

4. In a submitted patent an inventor claims to have developed a novel heat engine that operates with a not so hot nonpolluting flame at 150C and transfers waste heat to the environment at 20C. His promotional flyer claims that 45% of the fuel energy is converted into useful work. Calculate the maximum efficiency of such an engine and compare it to the claim. (10)

## APPENDIX

### Energy conversion factors

	J	kWh	Btu	toe
1 Joule (J)	1	$2.78 \times 10^{-7}$	$9.5 \times 10^{-4}$	$2.38 \times 10^{-11}$
1 kilowatt-hr (kWh)	$3.6 \times 10^6$	1	3413	$8.6 \times 10^{-5}$
1 calorie (cal)	4.184	$1.16 \times 10^{-6}$	$3.97 \times 10^{-3}$	$1 \times 10^{-10}$
1 British thermal unit (Btu)	1055	$2.93 \times 10^{-4}$	1	$2.5 \times 10^{-8}$
1 Electron volt (eV)	$1.6 \times 10^{-19}$	$4.45 \times 10^{-26}$	$1.52 \times 10^{-22}$	$3.8 \times 10^{-30}$

Storage material	MJ per kilogram	MJ per liter (litre)
Deuterium–tritium	330 000 000	0.14
Uranium-235	83 140 000[3]	1 546 000 000
Hydrogen (compressed at 70 MPa)	123	5.6
Gasoline (petrol) / Diesel	~46	~36
Propane (including LPG)	46.4	26
Fat (animal/vegetable)	37	
Coal	24	
Carbohydrates (including sugars)	17	
Protein	16.8	
Wood	16.2	

Density of water  $1.02 \times 10^3 \text{ kg/m}^3$

density of air  $\sim 1.2 \text{ kg/m}^3$

acceleration due to gravity  $9.8 \text{ m/sec}^2$

Avogadro's number  $6.02 \times 10^{23}$  (# per mole)

## Formulas

$$P(t) = \frac{1}{\beta} \left( 1 - \frac{Q(t)}{Q_{\infty}} \right) Q(t)$$

$$Q(t) = \frac{Q_{\infty}}{1 + Ae^{-t/\beta}}$$

$$P(t) = P_0 \left( \frac{Q_{\infty}}{Q_0} \right)^2 \frac{e^{-t/\beta}}{(1 + Ae^{-t/\beta})^2}$$

$$\beta = (Q_{\infty} - Q_0) \frac{Q_0}{Q_{\infty} P_0}$$

$$t_m = \left( 1 - \frac{Q_0}{Q_{\infty}} \right) \frac{Q_0}{P_0} \ln \left( \frac{Q_{\infty}}{Q_0} - 1 \right)$$

$$P_m = P(t_m) = \frac{Q_{\infty}^2 * P_0}{4Q_0(Q_{\infty} - Q_0)}$$

$$P = \frac{\Delta E}{\Delta t}$$

$$\eta = 1 - \frac{Q_L}{Q_H}$$

$$\eta_{carnot} = 1 - \frac{T_L}{T_H}$$

$$COP = \frac{Q_H}{Q_H - Q_L} = \frac{T_H}{T_H - T_L}$$

$$E = \frac{hc}{\lambda}; \quad hc = 1.98 \times 10^{-25} \text{ J}\cdot\text{m}$$

$$hc = 1.23 \times 10^{-6} \text{ eV} \cdot \text{m}$$

$$P = I^2 R$$

$$\frac{P}{A} = \epsilon \sigma T^4 \quad \sigma = 5.67 \times 10^{-8} \text{ Wm}^{-2}\text{K}^4$$

$$I_0 \frac{\pi R^2}{4\pi R^2} = 342 \text{ W/m}^2$$

$$\frac{1}{4} I_0 = \frac{1}{4} \alpha I_0 + I_A$$

$$\lambda_m [\mu\text{m}] = \frac{2898}{T(\text{K})}$$

$$E_{pot} = mgh = \rho Vgh$$

$$E_{kin} = \frac{1}{2} mv^2$$

$$\frac{P}{A} = 6.1 \times 10^{-4} v^3 [\text{kW/m}^2]$$

$$A = \pi r^2 = \pi \left( \frac{d}{2} \right)^2$$

$$\frac{\Delta Q}{\Delta t} = \frac{A}{R} \Delta T = AU\Delta T$$

$$R = 1/k$$

$$Q = mC\Delta T$$

$$m = \rho V$$

$$F = ma = m \frac{\Delta v}{\Delta t}$$

$$V = IR$$

$$J = E * cg \sim 1 \text{ kW/m}^3 \text{ s} * T H^2$$

$$P = 0.59 A/2(\rho u^3)$$

## Periodic Table of the Elements

1 <b>H</b> Hydrogen 1																	2 <b>He</b> Helium 4				
2 <b>Li</b> Lithium 3	3 <b>Be</b> Beryllium 9															5 <b>B</b> Boron 11	6 <b>C</b> Carbon 12	7 <b>N</b> Nitrogen 14	8 <b>O</b> Oxygen 16	9 <b>F</b> Fluorine 19	10 <b>Ne</b> Neon 20
11 <b>Na</b> Sodium 23	12 <b>Mg</b> Magnesium 24															13 <b>Al</b> Aluminium 27	14 <b>Si</b> Silicon 28	15 <b>P</b> Phosphorus 31	16 <b>S</b> Sulfur 32	17 <b>Cl</b> Chlorine 35.5	18 <b>Ar</b> Argon 40
19 <b>K</b> Potassium 39	20 <b>Ca</b> Calcium 40	21 <b>Sc</b> Scandium 45	22 <b>Ti</b> Titanium 48	23 <b>V</b> Vanadium 51	24 <b>Cr</b> Chromium 52	25 <b>Mn</b> Manganese 55	26 <b>Fe</b> Iron 56	27 <b>Co</b> Cobalt 59	28 <b>Ni</b> Nickel 59	29 <b>Cu</b> Copper 64	30 <b>Zn</b> Zinc 65	31 <b>Ga</b> Gallium 70	32 <b>Ge</b> Germanium 73	33 <b>As</b> Arsenic 75	34 <b>Se</b> Selenium 79	35 <b>Br</b> Bromine 80	36 <b>Kr</b> Krypton 84				
37 <b>Rb</b> Rubidium 86	38 <b>Sr</b> Strontium 88	39 <b>Y</b> Yttrium 89	40 <b>Zr</b> Zirconium 91	41 <b>Nb</b> Niobium 93	42 <b>Nb</b> Niobium 96	43 <b>Tc</b> Technetium 98	44 <b>Ru</b> Ruthenium 101	45 <b>Rh</b> Rhodium 103	46 <b>Pd</b> Palladium 106	47 <b>Ag</b> Silver 108	48 <b>Cd</b> Cadmium 112	49 <b>In</b> Indium 115	50 <b>Sn</b> Tin 119	51 <b>Sb</b> Antimony 122	52 <b>Te</b> Tellurium 128	53 <b>I</b> Iodine 127	54 <b>Xe</b> Xenon 131				
55 <b>Cs</b> Cesium 133	56 <b>Ba</b> Barium 137	57 <b>La</b> Lanthanum 139	72 <b>Hf</b> Hafnium 179	73 <b>Ta</b> Tantalum 181	74 <b>W</b> Tungsten 184	75 <b>Re</b> Rhenium 186	76 <b>Os</b> Osmium 190	77 <b>Ir</b> Iridium 192	78 <b>Pt</b> Platinum 195	79 <b>Au</b> Gold 197	80 <b>Hg</b> Mercury 201	81 <b>Tl</b> Thallium 204	82 <b>Pb</b> Lead 207	83 <b>Bi</b> Bismuth 209	84 <b>Po</b> Polonium 210	85 <b>At</b> Astatine 210	86 <b>Rn</b> Radon 222				
87 <b>Fr</b> Francium 223	88 <b>Ra</b> Radium 226	89 <b>Ac</b> Actinium 227	104 <b>Unq</b> Unquadrium 257	105 <b>Unp</b> Unpentium 260	106 <b>Unh</b> Unhexium 263	107 <b>Uns</b> Unseptium 262	108 <b>Uno</b> Unoctium 265	109 <b>Une</b> Unennium 266													

58 <b>Ce</b> Cerium 140	59 <b>Pr</b> Praseodymium 141	60 <b>Nd</b> Neodymium 144	61 <b>Pm</b> Promethium 147	62 <b>Sm</b> Samarium 150	63 <b>Eu</b> Europium 152	64 <b>Gd</b> Gadolinium 157	65 <b>Tb</b> Terbium 159	66 <b>Dy</b> Dysprosium 163	67 <b>Ho</b> Holmium 165	68 <b>Er</b> Erbium 167	69 <b>Tm</b> Thulium 169	70 <b>Yb</b> Ytterbium 173	71 <b>Lu</b> Lutetium 175
90 <b>Th</b> Thorium 232	91 <b>Pa</b> Protactinium 231	92 <b>U</b> Uranium 238	93 <b>Np</b> Neptunium 237	94 <b>Pu</b> Plutonium 244	95 <b>Am</b> Americium 243	96 <b>Cm</b> Curium 247	97 <b>Bk</b> Berkelium 247	98 <b>Cf</b> Californium 249	99 <b>Es</b> Einsteinium 254	100 <b>Fm</b> Fermium 253	101 <b>Md</b> Mendelevium 256	102 <b>No</b> Nobelium 254	103 <b>Lr</b> Lawrencium 257

### Heat of combustion (calorific value) of various fuels.

Fuel	MJ/kg	MJ/L
Wood green	~ 8	~ 6
Wood oven dry	~ 16	~ 12
Methane	56	0.038
petrol/gasoline	47	37
crude oil	44	35
Coal	27	